


REPORT DOCUMENTATION PAGE <i>Dist. A</i>			FORM Approved DAR No. 0704 0188	
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE Nov. 8, 1994	3. REPORT TYPE AND DATES COVERED <i>Annual</i> Interim Research Report 9/1/93-9/30/94	
4. TITLE AND SUBTITLE Design Strategies for the Preparation of Polymeric Organic Superconductors			5. FUNDING NUMBERS <i>30 Sep 93</i> <i>29 Sep 94</i>	
6. AUTHOR(S) Charles W. Spangler			61103D 3484 RS	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Northern Illinois University Louden Hall 201, Circle Drive DeKalb, IL 60115			8. PERFORMING ORGANIZATION REPORT NUMBER  AFOSR-TR- 94 0761	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NE-NC Building 410, Bolling AFB DC 20332-6448 <i>Dr Lee</i>			10. SPONSORING / MONITORING AGENCY REPORT NUMBER  F49620-92-J-0533	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT  APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.				
12b. DISTRIBUTION CODE  <i>A</i>				
13. ABSTRACT (Maximum 200 words)  During the past year strategies were developed to synthesize ET monomers containing one functionalized side chain (for pendant attachment) and two functionalized side chains (for main chain copolymer incorporation). The redox behavior of these ET monomers and polymers is identical to ET itself.  <i>19941221 036</i>  DTIC QUALITY INSPECTED 1				
14. SUBJECT TERMS  Superconductor, polymer, ET			15. NUMBER OF PAGES 10	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT	

# Interim Technical Report

Prepared For: Air Force Office of Scientific Research

Title: "Design Strategies For the Preparation of Polymeric Organic Superconductors"

Grant Number: F49620-92-J-0533 (FY 93 URI(RIP))

Grant Period: September 30, 1993 - September 29, 1994

Principal Investigator: Professor Charles W. Spangler

Address: Department of Chemistry  
Northern Illinois University  
DeKalb, IL 60115

815/753-6880 (Phone)  
815/753-4802 (FAX)


Prepared For:	
Project Number:	<input checked="checked" type="checkbox"/>
Project Title:	<input type="checkbox"/>
Project Description:	<input type="checkbox"/>
Project Status:	<input type="checkbox"/>
Project Location:	
Project Dates:	
Project Budget:	
Project Personnel:	
Project Results:	
Project Conclusions:	
Project Recommendations:	
Project Comments:	
A-1	

## Introduction


This report details the work accomplished in year 2 towards the design and synthesis of the first organic polymeric superconductor. During year 1 we established synthetic protocols for the preparation of TTF and ET monomers capable of incorporation as pendant groups on rigid-rod polymeric backbones. This year we have expanded this concept to include ET incorporation as a formal repeat unit in main chain copolymers.

## Synthesis of Main-Chain Copolymers Incorporating ET Subunits

During this year we focused on the synthesis of ET monomers. The first such monomer was synthesized with a  $-(\text{CH}_2)_8\text{OH}$  side chain for attachment to a poly [p-phenylene] or poly[paraphenylene vinylene] backbone as a pendant group.



This monomer will be attached to a polymer precursor as follows:



A model compound with H in place of the two Br functionalities was prepared and its redox behavior studied to determine if the ET subunits behaved in a similar fashion to ET itself.

Three main chain copolymers were synthesized and their redox behavior studied in a similar fashion to the above model compound. The rationale for choosing to synthesize these polymers in addition to the previously discussed pendant polymers is outlined in our paper entitled (attached):

"Studies Toward the Design and Synthesis of Superconducting Organic Polymers: Main Chain Incorporation of ET Subunits"

This paper outlines both the synthesis of the difunctional monomer, the polymer synthesis and their cyclic voltammogram behavior. They compare quite well with ET itself, so we are currently proceeding to form charge transfer complexes with these polymers for low temperature conductivity studies. This paper will be presented at the Spring National Meeting of the American Chemical Society in Anaheim, CA. in April.

### Personnel

The following postdoctoral students worked on this project during the year:

Dr. Tom Hall  
Dr. LinFang Zhu

two graduate students worked part-time on the project:

Mr. Mingqian He  
Mr. John Thurmond

two undergraduate research assistants worked part-time on the project:

Mr. Hu Li  
Mr. William Veldhuyzen

Dr. Hall and Dr. Zhu have since accepted permanent positions in industry, and replacements are currently being recruited to continue the polymer synthetic work.

# STUDIES TOWARD THE DESIGN AND SYNTHESIS OF SUPERCONDUCTING ORGANIC POLYMERS: MAIN CHAIN INCORPORATION OF ET SUBUNITS

Charles W. Spangler, Linfang Zhu and Tom J. Hall

Department of Chemistry, Northern Illinois University, DeKalb, IL 60115

Peter B. Balanda and John R. Reynolds


Department of Chemistry, University of Florida, Gainesville, FL 32611

## Introduction

During the past twenty years there has been an explosion of interest in conducting organic materials. This interest has encompassed a variety of new material classifications from the first organic metal TTF-TCNQ (1973) and similar charge transfer salts,<sup>1</sup> to an ever increasing family of conducting polymers such as polyacetylene, poly(p-phenylene), polythiophene and poly(p-phenylene vinylene), where conductivities as high as  $10^5$  S/cm have been achieved.<sup>2</sup> During this time there has also been a continuous interest in organic superconductors, however the relatively low temperatures that must be achieved in order to observe superconductivity has been a deterrent to their development. In addition, organic superconductors are normally produced as electrocrystallized salt crystals, which are quite small and fragile, thus severely limiting their practical application. In this study we will outline an approach to the design of the first organic polymeric superconductors.

## Problems Inherent in the Design of Polymeric Organic Superconductors

A large percentage of known organic superconductors has focused on electrocrystallized salts such as  $(\text{BEDT-TTF})_2\text{X}$ , where X represents a large family of counter anions.<sup>3</sup> Exhaustive studies of this system from 1986 to the



present has greatly enhanced the understanding of the effect of crystal packing of both ET and X moieties upon  $T_c$  and has resulted in higher temperature organic superconductors.<sup>4</sup> Even a cursory reading of the voluminous literature on  $(\text{ET})_2\text{X}$  superconducting salts reveals that structure-property

relationships are both extremely important to the design of high  $T_c$  organics, and extremely difficult to generalize. One of the problems in electrocrystallization is that it is not possible to rationally control the nanostructure of the materials formed. Our approach to superconducting polymer design is twofold: (1) by using rigid polymer backbones as templates for TTF or ET donor group assembly in intermolecular ensembles, and (2) incorporating ET moieties as formal main chain copolymer repeat units alternating with flexible spacers which will allow potential main-chain intermolecular  $\pi$ -stacking. In this paper we will discuss how the latter approach is being implemented in our program. This is illustrated in Figure 1.






Figure 1. Model Structure for Assembly of Potentially Superconducting Main-Chain Polymers.

### Synthesis of ET Monomers

Our initial goal was to synthesize ET monomers that could be incorporated in various main-chain polymers as a formal repeat unit. ET moieties were synthesized which incorporated alkanol side chains of varying length. This approach is outlined in Scheme 1 for an 8-carbon spacer:






Scheme 1. Typical Synthesis of ET Copolymer Precursor.


The disubstituted ET is a mixture of positional isomers, which were converted to copolymers without separation. In fact, the incorporation of the two positional isomers in the copolymer chain may be an advantage in terms of solubility and subsequent processing.

#### Copolymer Formation


Three copolymers were synthesized from monomer 3: two polyesters by condensation with either 3-methyladipoyl dichloride or terephthaloyl dichloride, and a polyurethane by condensation with 1,6-diisocyanatohexane. The formation of these polymers is illustrated in Scheme 2.




↓ Pyridine/DMF



4




↓ DMF



5



↓ Pyridine/THF



Scheme 2. Synthesis of Copolymers Incorporating ET Moieties as Repeat Units.

The three copolymers were obtained in good yield and were fully characterized by FT-IR, FT-NMR, and UV spectra, DSC, GPC, and C, H, N analysis. The copolymers were soluble in common organic solvents such as THF and chloroform, and stable, transparent free-standing films could be cast from static solution. Complete details of both the synthesis and characterization of these polymers will be published in the near future.<sup>5</sup>

#### Oxidative Behavior of Copolymers

The redox behavior of the three copolymers was studied *via* cyclic voltammetry as 1 mM solutions in  $\text{CH}_2\text{Cl}_2$  containing 0.1 M tetrabutylammonium perchlorate at a scan rate of 100 mV/sec at room temperature. The redox behavior of the incorporated ET moieties is critical to future conductivity studies in that the radical cations must be formed prior to self assembly *via* intermolecular  $\pi$ -stacking. The CV of the three polymers are shown in Figure 2.



\*OCCCCCCCCC1=CC=C2C(=C1)S3C(=C4C(=C2)S5C(=C6C(=C4)S7C(=C8C(=C6)S9C(=C10C(=C8)S11C(=C12C(=C10)S13C(=C14C(=C12)S15C(=C16C(=C14)S17C(=C18C(=C16)S19C(=C20C(=C18)S21C(=C22C(=C20)S23C(=C24C(=C22)S25C(=C26C(=C24)S27C(=C28C(=C26)S29C(=C30C(=C28)S31C(=C32C(=C30)S33C(=C34C(=C32)S35C(=C36C(=C34)S37C(=C38C(=C36)S39C(=C40C(=C38)S41C(=C42C(=C40)S43C(=C44C(=C42)S45C(=C46C(=C44)S47C(=C48C(=C46)S49C(=C50C(=C48)S51C(=C52C(=C50)S53C(=C54C(=C52)S55C(=C56C(=C54)S57C(=C58C(=C56)S59C(=C60C(=C58)S61C(=C62C(=C60)S63C(=C64C(=C62)S65C(=C66C(=C64)S67C(=C68C(=C66)S69C(=C70C(=C68)S71C(=C72C(=C70)S73C(=C74C(=C72)S75C(=C76C(=C74)S77C(=C78C(=C76)S79C(=C80C(=C78)S81C(=C82C(=C80)S83C(=C84C(=C82)S85C(=C86C(=C84)S87C(=C88C(=C86)S89C(=C90C(=C88)S91C(=C92C(=C90)S93C(=C94C(=C92)S95C(=C96C(=C94)S97C(=C98C(=C96)S99C(=C100C(=C98)S101C(=C102C(=C100)S103C(=C104C(=C102)S105C(=C106C(=C104)S107C(=C108C(=C106)S109C(=C110C(=C108)S111C(=C112C(=C110)S113C(=C114C(=C112)S115C(=C116C(=C114)S117C(=C118C(=C116)S119C(=C120C(=C118)S121C(=C122C(=C120)S123C(=C124C(=C122)S125C(=C126C(=C124)S127C(=C128C(=C126)S129C(=C130C(=C128)S131C(=C132C(=C130)S133C(=C134C(=C132)S135C(=C136C(=C134)S137C(=C138C(=C136)S139C(=C140C(=C138)S141C(=C142C(=C140)S143C(=C144C(=C142)S145C(=C146C(=C144)S147C(=C148C(=C146)S149C(=C150C(=C148)S151C(=C152C(=C150)S153C(=C154C(=C152)S155C(=C156C(=C154)S157C(=C158C(=C156)S159C(=C160C(=C158)S161C(=C162C(=C160)S163C(=C164C(=C162)S165C(=C166C(=C164)S167C(=C168C(=C166)S169C(=C170C(=C168)S171C(=C172C(=C170)S173C(=C174C(=C172)S175C(=C176C(=C174)S177C(=C178C(=C176)S179C(=C180C(=C178)S181C(=C182C(=C180)S183C(=C184C(=C182)S185C(=C186C(=C184)S187C(=C188C(=C186)S189C(=C190C(=C188)S191C(=C192C(=C190)S193C(=C194C(=C192)S195C(=C196C(=C194)S197C(=C198C(=C196)S199C(=C200C(=C198)S201C(=C202C(=C200)S203C(=C204C(=C202)S205C(=C206C(=C204)S207C(=C208C(=C206)S209C(=C210C(=C208)S211C(=C212C(=C210)S213C(=C214C(=C212)S215C(=C216C(=C214)S217C(=C218C(=C216)S219C(=C220C(=C218)S221C(=C222C(=C220)S223C(=C224C(=C222)S225C(=C226C(=C224)S227C(=C228C(=C226)S229C(=C230C(=C228)S231C(=C232C(=C230)S233C(=C234C(=C232)S235C(=C236C(=C234)S237C(=C238C(=C236)S239C(=C240C(=C238)S241C(=C242C(=C240)S243C(=C244C(=C242)S245C(=C246C(=C244)S247C(=C248C(=C246)S249C(=C250C(=C248)S251C(=C252C(=C250)S253C(=C254C(=C252)S255C(=C256C(=C254)S257C(=C258C(=C256)S259C(=C260C(=C258)S261C(=C262C(=C260)S263C(=C264C(=C262)S265C(=C266C(=C264)S267C(=C268C(=C266)S269C(=C270C(=C268)S271C(=C272C(=C270)S273C(=C274C(=C272)S275C(=C276C(=C274)S277C(=C278C(=C276)S279C(=C280C(=C278)S281C(=C282C(=C280)S283C(=C284C(=C282)S285C(=C286C(=C284)S287C(=C288C(=C286)S289C(=C290C(=C288)S291C(=C292C(=C290)S293C(=C294C(=C292)S295C(=C296C(=C294)S297C(=C298C(=C296)S299C(=C300C(=C298)S301C(=C302C(=C300)S303C(=C304C(=C302)S305C(=C306C(=C304)S307C(=C308C(=C306)S309C(=C310C(=C308)S311C(=C312C(=C310)S313C(=C314C(=C312)S315C(=C316C(=C314)S317C(=C318C(=C316)S319C(=C320C(=C318)S321C(=C322C(=C320)S323C(=C324C(=C322)S325C(=C326C(=C324)S327C(=C328C(=C326)S329C(=C330C(=C328)S331C(=C332C(=C330)S333C(=C334C(=C332)S335C(=C336C(=C334)S337C(=C338C(=C336)S339C(=C340C(=C338)S341C(=C342C(=C340)S343C(=C344C(=C342)S345C(=C346C(=C344)S347C(=C348C(=C346)S349C(=C350C(=C348)S351C(=C352C(=C350)S353C(=C354C(=C352)S355C(=C356C(=C354)S357C(=C358C(=C356)S359C(=C360C(=C358)S361C(=C362C(=C360)S363C(=C364C(=C362)S365C(=C366C(=C364)S367C(=C368C(=C366)S369C(=C370C(=C368)S371C(=C372C(=C370)S373C(=C374C(=C372)S375C(=C376C(=C374)S377C(=C378C(=C376)S379C(=C380C(=C378)S381C(=C382C(=C380)S383C(=C384C(=C382)S385C(=C386C(=C384)S387C(=C388C(=C386)S389C(=C390C(=C388)S391C(=C392C(=C390)S393C(=C394C(=C392)S395C(=C396C(=C394)S397C(=C398C(=C396)S399C(=C400C(=C398)S401C(=C402C(=C400)S403C(=C404C(=C402)S405C(=C406C(=C404)S407C(=C408C(=C406)S409C(=C410C(=C408)S411C(=C412C(=C410)S413C(=C414C(=C412)S415C(=C416C(=C414)S417C(=C418C(=C416)S419C(=C420C(=C418)S421C(=C422C(=C420)S423C(=C424C(=C422)S425C(=C426C(=C424)S427C(=C428C(=C426)S429C(=C430C(=C428)S431C(=C432C(=C430)S433C(=C434C(=C432)S435C(=C436C(=C434)S437C(=C438C(=C436)S439C(=C440C(=C438)S441C(=C442C(=C440)S443C(=C444C(=C442)S445C(=C446C(=C444)S447C(=C448C(=C44

5  $\mu$ A

2nd scan

1 mM solution in  
methylene chloride

0.1 M tetrabutylammonium perchlorate (TBAP

Scan rate 100 mV/sec  
Room temperature)


\*OCCCCCCCCC1SC2SC3SC4SC5SC6SC7SC8SC9SC10SC11SC12SC13SC14SC15SC16SC17SC18SC19SC20SC21SC22SC23SC24SC25SC26SC27SC28SC29SC30SC31SC32SC33SC34SC35SC36SC37SC38SC39SC40SC41SC42SC43SC44SC45SC46SC47SC48SC49SC50SC51SC52SC53SC54SC55SC56SC57SC58SC59SC60SC61SC62SC63SC64SC65SC66SC67SC68SC69SC70SC71SC72SC73SC74SC75SC76SC77SC78SC79SC80SC81SC82SC83SC84SC85SC86SC87SC88SC89SC90SC91SC92SC93SC94SC95SC96SC97SC98SC99SC100SC101SC102SC103SC104SC105SC106SC107SC108SC109SC110SC111SC112SC113SC114SC115SC116SC117SC118SC119SC120SC121SC122SC123SC124SC125SC126SC127SC128SC129SC130SC131SC132SC133SC134SC135SC136SC137SC138SC139SC140SC141SC142SC143SC144SC145SC146SC147SC148SC149SC150SC151SC152SC153SC154SC155SC156SC157SC158SC159SC160SC161SC162SC163SC164SC165SC166SC167SC168SC169SC170SC171SC172SC173SC174SC175SC176SC177SC178SC179SC180SC181SC182SC183SC184SC185SC186SC187SC188SC189SC190SC191SC192SC193SC194SC195SC196SC197SC198SC199SC200SC201SC202SC203SC204SC205SC206SC207SC208SC209SC210SC211SC212SC213SC214SC215SC216SC217SC218SC219SC220SC221SC222SC223SC224SC225SC226SC227SC228SC229SC230SC231SC232SC233SC234SC235SC236SC237SC238SC239SC240SC241SC242SC243SC244SC245SC246SC247SC248SC249SC250SC251SC252SC253SC254SC255SC256SC257SC258SC259SC260SC261SC262SC263SC264SC265SC266SC267SC268SC269SC270SC271SC272SC273SC274SC275SC276SC277SC278SC279SC280SC281SC282SC283SC284SC285SC286SC287SC288SC289SC290SC291SC292SC293SC294SC295SC296SC297SC298SC299SC300SC301SC302SC303SC304SC305SC306SC307SC308SC309SC310SC311SC312SC313SC314SC315SC316SC317SC318SC319SC320SC321SC322SC323SC324SC325SC326SC327SC328SC329SC330SC331SC332SC333SC334SC335SC336SC337SC338SC339SC340SC341SC342SC343SC344SC345SC346SC347SC348SC349SC350SC351SC352SC353SC354SC355SC356SC357SC358SC359SC360SC361SC362SC363SC364SC365SC366SC367SC368SC369SC370SC371SC372SC373SC374SC375SC376SC377SC378SC379SC380SC381SC382SC383SC384SC385SC386SC387SC388SC389SC390SC391SC392SC393SC394SC395SC396SC397SC398SC399SC400SC401SC402SC403SC404SC405SC406SC407SC408SC409SC410SC411SC412SC413SC414SC415SC416SC417SC418SC419SC420SC421SC422SC423SC424SC425SC426SC427SC428SC429SC430SC431SC432SC433SC434SC435SC436SC437SC438SC439SC440SC441SC442SC443SC444SC445SC446SC447SC448SC449SC450SC451SC452SC453SC454SC455SC456SC457SC458SC459SC460SC461SC462SC463SC464SC465SC466SC467SC468SC469SC470SC471SC472SC473SC474SC475SC476SC477SC478SC479SC480SC481SC482SC483SC484SC485SC486SC487SC488SC489SC490SC491SC492SC493SC494SC495SC496SC497SC498SC499SC500SC501SC502SC503SC504SC505SC506SC507SC508SC509SC510SC511SC512SC513SC514SC515SC516SC517SC518SC519SC520SC521SC522SC523SC524SC525SC526SC527SC528SC529SC530SC531SC532SC533SC534SC535SC536SC537SC538SC539SC540SC541SC542SC543SC544SC545SC546SC547SC548SC549SC550SC551SC552SC553SC554SC555SC556SC557SC558SC559SC560SC561SC562SC563SC564SC565SC566SC567SC568SC569SC570SC571SC572SC573SC574SC575SC576SC577SC578SC579SC580SC581SC582SC583SC584SC585SC586SC587SC588SC589SC590SC591SC592SC593SC594SC595SC596SC597SC598SC599SC600SC601SC602SC603SC604SC605SC606SC607SC608SC609SC610SC611SC612SC613SC614SC615SC616SC617SC618SC619SC620SC621SC622SC623SC624SC625SC626SC627SC628SC629SC630SC631SC632SC633SC634SC635SC636SC637SC638SC639SC640SC641SC642SC643SC644SC645SC646SC647SC648SC649SC650SC651SC652SC653SC654SC655SC656SC657SC658SC659SC660SC661SC662SC663SC664SC665SC666SC667SC668SC669SC670SC671SC672SC673SC674SC675SC676SC677SC678SC679SC680SC681SC682SC683SC684SC685SC686SC687SC688SC689SC690SC691SC692SC693SC694SC695SC696SC697SC698SC699SC700SC701SC702SC703SC704SC705SC706SC707SC708SC709SC710SC711SC712SC713SC714SC715SC716SC717SC718SC719SC720SC721SC722SC723SC724SC725SC726SC727SC728SC729SC730SC731SC732SC733SC734SC735SC736SC737SC738SC739SC740SC741SC742SC743SC744SC745SC746SC747SC748SC749SC750SC751SC752SC753SC754SC755SC756SC757SC758SC759SC760SC761SC762SC763SC764SC765SC766SC767SC768SC769SC770SC771SC772SC773SC774SC775SC776SC777SC778SC779SC780SC781SC782SC783SC784SC785SC786SC787SC788SC789SC790SC791SC792SC793SC794SC795SC796SC797SC798SC799SC800SC801SC802SC803SC804SC805SC806SC807SC808SC809SC810SC811SC812SC813SC814SC815SC816SC817SC818SC819SC820SC821SC822SC823SC824SC825SC826SC827SC828SC829SC830SC831SC832SC833SC834SC835SC836SC837SC838SC839SC840SC841SC842SC843SC844SC845SC846SC847SC848SC849SC850SC851SC852SC853SC854SC855SC856SC857SC858SC859SC860SC861SC862SC863SC864SC865SC866SC867SC868SC869SC870SC871SC872SC873SC874SC875SC876SC877SC878SC879SC880SC881SC882SC883SC884SC885SC886SC887SC888SC889SC890SC891SC892SC893SC894SC895SC896SC897SC898SC899SC900SC901SC902SC903SC904SC905SC906SC907SC908SC909SC910SC911SC912SC913SC914SC915SC916SC917SC918SC919SC920SC921SC922SC923SC924SC925SC926SC927SC928SC929SC930SC931SC932SC933SC934SC935SC936SC937SC938SC939SC940SC941SC942SC943SC944SC945SC946SC947SC948SC949SC950SC951SC952SC953SC954SC955SC956SC957SC958SC959SC960SC961SC962SC963SC964SC965SC966SC967SC968SC969SC970SC971SC972SC973SC974SC975SC976SC977SC978SC979SC980SC981SC982SC983SC984SC985SC986SC987SC988SC989SC990SC991SC992SC993SC994SC995SC996SC997SC998SC999SC1000SC1001SC1002SC1003SC1004SC1005SC1006SC1007SC1008SC1009SC1010SC1011SC1012SC1013SC1014SC1015SC1016SC1017SC1018SC1019SC1020SC1021SC1022SC1023SC1024SC1025SC1026SC1027SC1028SC1029SC1030SC1031SC1032SC1033SC1034SC1035SC1036SC1037SC1038SC1039SC1\*OCCCCCCCCC1=CC=C2C(=C1)S3C(=C(C=C3)S4CCCCCCCCCOC(=O)C(C)CCCC(=O)O4)S5C=CC=C(C=C5)S6

Figure 2. CV Comparison of ET-Containing Polymers.




Figure 3. Cyclic Voltammogram of ET.

The redox behavior is quite similar to ET, illustrated in Figure 3. Thus, it appears that stable charge states are attainable in these polymers and the next stage, casting oxidized films for low temperature conductivity studies, can be accomplished. These studies are currently underway, and will be discussed in detail in a future report.

### Conclusions

Stable processible polymers in which ET is incorporated as a formal repeat unit have been synthesized. These copolymers show redox behavior in solution which exactly parallels free ET under similar experimental conditions. Self assembly under thermal annealing conditions is currently underway to

determine the amount of  $\pi$ -stacking of the oxidized ET segments that can be achieved prior to low temperature conductivity studies.

#### Acknowledgements

This research was supported under a URI-RIP program under the supervision of the Air Force Office of Scientific Research grant No. 49620-92-J-0533.

#### References

1. J.M. Williams, J.R. Ferraro, R.J. Thorn, K.D. Carlson, U. Geiser, H.H. Wang, A.M. Kini and M.-H. Whangbo, "Organic Superconductors: Synthesis, Structure, Properties and Theory," Prentice Hall, New York, 1990.
2. For examples, see "Handbook of Conducting Polymers," Vol. 1 and 2, T. Skotheim, ed., Marcel Dekker, New York, 1986.
3. (a) K. Bechgaard, C.S. Jacobson, K. Martensen, H.J. Pedersen, and N. Thorup, Solid State Commun., 1980, 33, 1119; (b) K. Bechgaard, K. Caneiro, F.B. Rasmussen, H. Olsen, G. Rindorf, C. Jacobson, S. Pedersen and J.E. Scott, J. Amer. Chem. Soc., 1981, 103, 2440.
4. (a) A.M. Kini, U. Geiser, H.H. Wang, K.D. Carlson, J.M. Williams, W.K. Kwok, K.G. Vandervoort, J.E. Thompson, D. Stupka, D. Jung and M.-H. Whangbo, Inorg. Chem., 1990, 29, 255; (b) J.M. Williams, A.M. Kini, H.H. Wang, K.D. Carlson, U. Geiser, L.K. Montgomery, G.L. Pyrka, D.M. Watkins, J.M. Kommers, S.J. Boryshuk, A.V. Streiby Crouch, J.E. Schriber, D.L. Overmyer, D. Jung and M.-H. Whangbo, Inorg. Chem., 1990, 29, 3274.
5. C.W. Spangler, L. Zhu, T.J. Hall, P.B. Balanda and J.R. Reynolds, Macromol. (to be submitted).